according to Regulation (EC) No. 1907/2006

COMPO Organic Glue Spray



Version Revision Date: SDS Number: Date of last issue: 14.12.2021 24.11.2022 C5308 Date of first issue: 14.12.2021 10.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name COMPO Organic Glue Spray

Product code 000000002530201004

Unique Formula Identifier

(UFI)

: E4D1-79MC-E70E-SNVM

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-Private households (=general public = consumers)

stance/Mixture biotechnological products

Recommended restrictions

on use

To be used only where there is a recognised need. Do not

exceed the appropriate dose rates.

1.3 Details of the supplier of the safety data sheet

Company COMPO GmbH

> Gildenstraße 38 D-48157 Münster

Telephone : +49-0251/3277-0

Telefax : +49 (0)251/326225

E-mail address of person

responsible for the SDS

: product-safety@compo.com

1.4 Emergency telephone number

Giftinformationszentrale Nord, Göttingen, Germany

Telephone:+49 (0)551 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1 H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

COMPO Organic Glue Spray



Version Revision Date: SDS Number: Date of last issue: 14.12.2021 10.1 24.11.2022 C5308 Date of first issue: 14.12.2021

Hazard pictograms :

Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

Supplemental Hazard

Statements

EUH401 To avoid risks to man and the environment,

comply with the instructions for use.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

Storage:

P410 + P412 Protect from sunlight. Do not expose to tem-

peratures exceeding 50 °C/ 122 °F.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		

according to Regulation (EC) No. 1907/2006

COMPO Organic Glue Spray



Version Revision Date: SDS Number: Date of last issue: 14.12.2021 10.1 24.11.2022 C5308 Date of first issue: 14.12.2021

White mineral oil (petroleum)	8042-47-5 232-455-8 01-2119487078-27- XXXX	Asp. Tox. 1; H304	< 50
Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha	64742-48-9 265-150-3 649-327-00-6 01-2119486659-16- XXXX	Flam. Liq. 3; H226 Asp. Tox. 1; H304	< 20
butane	106-97-8 203-448-7 601-004-00-0 01-2119474691-32- XXXX	Flam. Gas 1; H220 Press. GasH280	< 30
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas 1; H220 Press. GasH280	< 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and plenty of water.

If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.

Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Do NOT induce vomiting.

Rinse mouth with water.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Product is compatible with standard fire-fighting agents.

according to Regulation (EC) No. 1907/2006

COMPO Organic Glue Spray



Version Revision Date: SDS Number: Date of last issue: 14.12.2021 10.1 24.11.2022 C5308 Date of first issue: 14.12.2021

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Fire will produce dense black smoke containing hazardous

combustion products (see section 10).

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Use personal protective equipment. Wear self-contained

breathing apparatus for firefighting if necessary.

Further information : Use water spray to cool unopened containers.

Prevent fire extinguishing water from contaminating surface

water or the ground water system.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

Avoid contact with skin, eyes and clothing.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

Prevent further leakage or spillage.

Wipe up with absorbent material (e.g. cloth, fleece).

After cleaning, flush away traces with water.

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Take notice of the directions of use on the label.

Handle in accordance with good industrial hygiene and safety

practice.

Avoid contact with skin, eyes and clothing.

Avoid inhalation of vapour or mist.

Wash hands before breaks and at the end of workday.

Advice on protection against

fire and explosion

Keep away from open flames, hot surfaces and sources of

ignition.

according to Regulation (EC) No. 1907/2006

COMPO Organic Glue Spray



Version Revision Date: SDS Number: Date of last issue: 14.12.2021 10.1 24.11.2022 C5308 Date of first issue: 14.12.2021

Hygiene measures : General industrial hygiene practice. Wash hands before

breaks and at the end of workday. Keep away from food and

drink.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep out of the reach of children. Store in original container. Keep tightly closed in a dry, cool and well-ventilated place.

Advice on common storage : Keep away from food and drink.

Keep away from oxidizing agents and strongly acid or alkaline

materials.

Storage class (TRGS 510) : 2B

Recommended storage tem: :

perature

5 - 30 °C

7.3 Specific end use(s)

Specific use(s) : Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
White mineral oil	8042-47-5	Exposure limit(s)	5 mg/m3	DE TRGS
(petroleum)		(Alveolate frac-		900
		tion)		
	Peak-limit: ex	cursion factor (categ	ory): 4;(II)	
	Further information: Senate commission for the review of compounds at the			
	work place dangerous for the health (MAK-commission)., When there is com-			
	pliance with the OEL and biological tolerance values, there is no risk of harm-			
	ing the unborn child			
		AGW (Alveolate	5 mg/m3	DE TRGS
		fraction)		900
	Peak-limit: excursion factor (category): 4;(II)			
	Further information: When there is compliance with the OEL and biological			
	tolerance valu	ies, there is no risk c	of harming the unborn child	
Naphtha (petrole-	64742-48-9	AGW	300 mg/m3	DE TRGS
um), hydrotreated				900
heavy; Low boiling				
point ydrogen				
treated naphtha				
	Peak-limit: excursion factor (category): 2;(II)			
	Further information: Group exposure limit for hydrocarbon solvent mixtures			
butane	106-97-8	AGW	1.000 ppm	DE TRGS
			2.400 mg/m3	900

according to Regulation (EC) No. 1907/2006

COMPO Organic Glue Spray



Version Revision Date: SDS Number: Date of last issue: 14.12.2021 10.1 24.11.2022 C5308 Date of first issue: 14.12.2021

	Peak-limit:	Peak-limit: excursion factor (category): 4;(II)			
propane	74-98-6	AGW	1.000 ppm	DE TRGS	
			1.800 mg/m3	900	
	Peak-limit:	Peak-limit: excursion factor (category): 4;(II)			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
White mineral oil (petroleum)	Workers	Skin contact	Long-term systemic effects	220 mg/kg
	Workers	Inhalation	Long-term systemic effects	160 mg/m3
	Consumers	Ingestion	Long-term systemic effects	40 mg/kg
	Consumers	Skin contact	Long-term systemic effects	92 mg/kg
	Consumers	Inhalation	Long-term systemic effects	35 mg/m3

8.2 Exposure controls

Engineering measures

Provide adequate ventilation.

Personal protective equipment

Eye/face protection : Avoid contact with eyes.

Safety glasses with side-shields conforming to EN166

Hand protection

Material : Chemical resistant gloves made of butyl rubber or nitrile rub-

ber category III according to EN 374.

Break through time : > 30 min Glove thickness : 0,4 mm

Glove length : Standard glove type.

Remarks : Skin should be washed after contact.

Skin and body protection : Long sleeved clothing

Respiratory protection : Do not breathe vapours or spray mist.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : aerosol, liquid

Colour : colourless, yellow

Odour : hydrocarbon-like

Melting point/freezing point : No data available

according to Regulation (EC) No. 1907/2006

COMPO Organic Glue Spray



Version SDS Number: Revision Date: Date of last issue: 14.12.2021 10.1 24.11.2022 C5308 Date of first issue: 14.12.2021

Initial boiling point and boiling : No data available

range

Flammability Extremely flammable aerosol.

Upper explosion limit / Upper

flammability limit

Upper flammability limit

11,2 %(V)

Lower explosion limit / Lower

flammability limit

Lower flammability limit

1,4 %(V)

Flash point < 55 °C

Flash point is only valid for liquid portion in the aerosol can.

Auto-ignition temperature No data available

Decomposition temperature No data available

6,5 (20 °C) рΗ

> Concentration: 100 g/l Aqueous solution

Viscosity

Viscosity, dynamic 30.000 mPa.s (60 °C)

Viscosity, kinematic No data available

Solubility(ies)

Water solubility (20 °C) immiscible

Solubility in other solvents Description: Soluble in hydrocarbons

Vapour pressure 4.000 hPa (20 °C)

Relative density 0,730 (20 °C)

Density No data available

Relative vapour density > 1

9.2 Other information

Explosives Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

according to Regulation (EC) No. 1907/2006

COMPO Organic Glue Spray



Version Revision Date: SDS Number: Date of last issue: 14.12.2021 10.1 24.11.2022 C5308 Date of first issue: 14.12.2021

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Strong acids and strong bases

Strong oxidizing agents

10.6 Hazardous decomposition products

In case of fire hazardous decomposition products may be produced such as: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Remarks: Not classified

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : Remarks: Not classified

Skin corrosion/irritation

Product:

Remarks : Not classified

Serious eye damage/eye irritation

Product:

Remarks : Not classified

Respiratory or skin sensitisation

Product:

Remarks : Not classified

Germ cell mutagenicity

Product:

according to Regulation (EC) No. 1907/2006

COMPO Organic Glue Spray



Version Revision Date: SDS Number: Date of last issue: 14.12.2021 10.1 24.11.2022 C5308 Date of first issue: 14.12.2021

sessment

Germ cell mutagenicity- As- : Contains no ingredient listed as a mutagen

Carcinogenicity

Product:

Carcinogenicity - Assess-

ment

Contains no ingredient listed as a carcinogen

Reproductive toxicity

Product:

Reproductive toxicity - As-

sessment

: Contains no ingredient listed as toxic to reproduction

STOT - single exposure

Product:

Remarks Not classified

STOT - repeated exposure

Product:

Remarks Not classified

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

according to Regulation (EC) No. 1907/2006

COMPO Organic Glue Spray



Version Revision Date: SDS Number: Date of last issue: 14.12.2021 10.1 24.11.2022 C5308 Date of first issue: 14.12.2021

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not flush into surface water or sanitary sewer system.

Dispose of contents/ container to an approved waste disposal

plant.

The waste codes are manufacturer's recommendations based

on the designated use of the product.

European Waste Catalog: 02 01 09 Waste of agricultural chemicals other than those mentioned in 02 01 08.

Contaminated packaging : Do not re-use empty containers.

Emptied gas pressure vessels must not be opened.

Offer empty spray cans to an established disposal company.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 1950 ADR : UN 1950 RID : UN 1950

according to Regulation (EC) No. 1907/2006

COMPO Organic Glue Spray



Version Revision Date: SDS Number: Date of last issue: 14.12.2021 10.1 24.11.2022 C5308 Date of first issue: 14.12.2021

IMDG : UN 1950 IATA : UN 1950

14.2 UN proper shipping name

ADN : AEROSOLS
ADR : AEROSOLS
RID : AEROSOLS
IMDG : AEROSOLS

IATA : Aerosols, flammable

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADN
 : 2
 2.1

 ADR
 : 2
 2.1

 RID
 : 2
 2.1

IMDG : 2.1 IATA : 2.1

14.4 Packing group

ADN

Packing group : Not assigned by regulation

Classification Code : 5F Labels : 2.1

ADR

Packing group : Not assigned by regulation

Classification Code : 5F Labels : 2.1 Tunnel restriction code : (D)

RID

Packing group : Not assigned by regulation

Classification Code : 5F Hazard Identification Number : 23 Labels : 2.1

IMDG

Packing group : Not assigned by regulation

Labels : 2.1 EmS Code : F-D, S-U

IATA (Cargo)

Packing instruction (cargo : 203

aircraft)

Packing instruction (LQ) : Y203

Packing group : Not assigned by regulation

Labels : Flammable Gas

IATA (Passenger)

according to Regulation (EC) No. 1907/2006

COMPO Organic Glue Spray



Version Revision Date: SDS Number: Date of last issue: 14.12.2021 10.1 24.11.2022 C5308 Date of first issue: 14.12.2021

203

Packing instruction (passen:

ger aircraft)

Packing instruction (LQ) : Y203

Packing group : Not assigned by regulation

Labels : Flammable Gas

14.5 Environmental hazards

ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

: Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

: Not applicable

Regulation (EU) 2019/1148 on the marketing and use of

explosives precursors

Not applicable

REACH - List of substances subject to authorisation : Not applicable

according to Regulation (EC) No. 1907/2006

COMPO Organic Glue Spray



Version Revision Date: SDS Number: Date of last issue: 14.12.2021 10.1 24.11.2022 C5308 Date of first issue: 14.12.2021

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P3a FLAMMABLE AEROSOLS

Water hazard class (Germa- : WGK 1 slightly hazardous to water

ny)

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H220 Extremely flammable gas. H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

May be fatal if swallowed and enters airways. H304

Full text of other abbreviations

Asp. Tox. Aspiration hazard Flam. Gas Flammable gases Flammable liquids Flam. Liq. Press. Gas Gases under pressure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quanti-

according to Regulation (EC) No. 1907/2006

COMPO Organic Glue Spray



Version Revision Date: SDS Number: Date of last issue: 14.12.2021 10.1 24.11.2022 C5308 Date of first issue: 14.12.2021

tative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Training advice : Handle in accordance with good industrial hygiene and safety

practice.

See sections: 4, 5, 6, 7, 8, 10 and 13.

Sources of key data used to

compile the Safety Data

Sheet

Information taken from reference works and the literature.

Classification of the mixture:

Classification procedure:

Aerosol 1 H222, H229 Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN